Class	Reg Number

Candidate Name	

TANJONG KATONG SECONDARY SCHOOL End of Year Examination 2010 Secondary Two



MATHEMATICS

Paper 1

Monday

12 October 2010

1 hour 15 minutes

TIME 0750 - 0905

READ THESE INSTRUCTIONS FIRST


Write your name, class and register number on the cover page.
Write in dark blue or black pen.
You may use a pencil for any diagrams or graphs.
Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all the questions.

All answers are to be written on the spaces provided. If working is needed for any question it must be shown with the answer. Omission of essential working will result in loss of marks.

You are expected to use a scientific calculator to evaluate explicit numerical expressions. If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place. For π , use either your calculator value or 3.142, unless the question requires the answer in terms of π .

The number of marks is given in brackets [] at the end of each question or part question. The total number of marks for this paper is 50.



Paper 1	(50 marks)
	ALL question

For
Examiner's
Use

Answer <u>ALL</u> questions. (a) Factorise $2x^3 - 13x^2 + 16x$ completely.

For Examiner's Use

(b) Simplify $9a^2 + 1 - (3a - 1)^2$.

Answer (a) [2]

0)_____[2

For	
Examiner'.	s
Ilon	

Factorise (a-2b)-3c(2b-a). (a)

Examiner's

Solve the simultaneous equations -5x + 3y = 19 and 2x - 7y = -25.

Answer (a)_____[2]

ForExaminer's (a) Simplify $\frac{2y^2 - 3y - 5}{y^2 - 1}$.

Examiner's Use

(b) Solve $5t^2 = 12t$.

Answer (a) _____[3]

_[2]

For Examiner's Use


A shopping centre organised a free spin on the rewards wheel as shown to its shoppers when they spend a minimum of \$100. Given that the rewards wheel is equally divided, find, the probability of getting a voucher of \$10,

For Examiner's Use

a)

the probability of getting the Grand prize, b)

the probability of not getting a prize. c)



Answer (a) _____[1]

Three bus services stops at a particular bus stop at every 10, 15 and 25 minutes interval. If the three buses leave the bus bay at 10 am. Find the time when the 3 buses stop at the same bus stop together.

Answer

[2]

6	It is given that y is inversely proportional to $\sqrt[3]{}$ (a) Find the equation connecting x and y.	\bar{x} . When $x = 27$, $y = 12$.	
	(a) I mu the equation connecting x and y.		
		·	_
	subst		
	-		
	(b) Find the value of x when $y = 7.2$.		• •
	-		

For Examiner's Use	7 A regular polygon has <i>n</i> sides. The size of each interior angle is 7 times the size of each exterior angle. Calculate				
Use	a) the size of each exterior angle,				
	~~~ .				
		į			
	·				
	b) the value of $n$ .				
-					
	Answer (a)° [2				
	(b)[1	]			

For Examiner's Lise 8 a) Express  $\frac{1}{m} - \frac{1}{n}$  as a single fraction.

For Examiner's Use

b) Hence, find the value of  $\frac{1}{m} - \frac{1}{n}$  when 6mn = -1 and 6(m-n) = 5.

Answer (a)_

[1]

(b)

[2]

For Examiner's Use 9 The number of times that a group of people who trains in a gymnasium during a one-month period is tabulated below.

For Examiner's Use

Number of gymnasium visits	0	1	2	3	4	5	6
Number of people	2	7	6	x	4	2	1

a) Find the minimum value of x if the mode is 3.

- b) Using the value of x in (a), find
  - i) the mean,

ii) the median.


Answer (a) _____[1]

bi) [2]

(bii) [1]

For Examiner's Use

- A birthday cake, cylindrical in shape, has a radius of 14 cm and a thickness of 6 cm. The cake is cut into 6 equal pieces. Each piece of cake forms a sector of a circle as
  - shown in the figure. (Take  $\pi = \frac{22}{7}$ ).
  - Find the volume of each piece of cake.



For

Examiner's

Use

Find the total surface area of each piece of cake.


_cm³ [2] Answer (a)

_cm²[3]

For Examiner's Use 11 The diagram shows the graphs of the curve  $y = -x^2 + x + z$  and a straight line AC. The curve meets the x-axis at B and C and the y-axis at A(0, 12). Graphs are not drawn to scale.

For Examiner s Use

a) Find the value of z.



b) Find the coordinates of B and C.

c) Write down the equation of the line of symmetry of  $y = -x^2 + x + z$ .


Answer (a) _____[1]

[3]

For Examiner's Use 12 Shade the required regions in the Venn diagrams.

(a)  $A' \cup B'$ 


For Examiner's Use



[1]

(b)  $(A \cap B)' \cap B$ 

3




[1]

For Examiner`s Use A vertical flagpole PQ is placed at the top of the hill. R is vertically below Q and  $\angle SRQ = 90^{\circ}$ , SR = 100m and SQ = 104m

For Examiner's Use

a) Show that QR = 28.6m.



[2]

b) Given that  $\angle PSR = 25^{\circ}$ , find the height of the flagpole.

Answer (b) _____ m [3]

<del>-</del> <del>...</del> . ٠. .

# TKSS 2010 Sec 2 Mathematics Marking Scheme Paper 1 End of Year Examinations

Qns No.	Details Answers	
1a)	$x(2x^2-13x+16)$	
1b)	$9a^2 + 1 - (9a^2 - 6a + 1)$	·
10)	6a	
2a)	(a-2b)+3c(-2b+a)	
,	(a-2b)(1+3c)	
		-
2b)	y=3	
	x = -2 $(2y-5)(y+1)$	-
3a)		
	(y+1)(y-1)	
	(2n-5)	
	$\frac{(2y-5)}{(y-1)}$	
3b)	$5t^2 - 12t = 0$	1
	t(5t-12) = 0	
	t = 0	
	$t=2\frac{2}{5}$	
10)	1	-
4a)	$P(\$10 \text{ Voucher}) = \frac{1}{4}$	
4b)	$P(Grand Prize) = \frac{1}{8}$	
		$\dashv$
4c)	$P(\text{No Prize}) = \frac{1}{2}$	
5)	LCM = 2 hours 30 mins	
	12:30 pm -	
6a)	$y\alpha \frac{1}{\sqrt[3]{x}}$ or $y = \frac{k}{\sqrt[3]{x}}$	
	VX VX	
	k	
	$12 = \frac{k}{\sqrt[3]{27}}$	
	k = 36	
	$y = \frac{36}{\sqrt[3]{x}}$	
6b)	x = 125	
7a)	1 int. $\angle = 7$ ext. $\angle$ s 7 ext. $\angle$ s + 1 ext. $\angle$ = 180°	
	22.5°	
<u> </u>		

Qns No.	Details Answers
7b)	n = 16
8a)	n-m
	mn
8b)	$mn = \frac{-1}{6}$
	$(n-m)=-\frac{5}{6}$
	1
9a)	5   x = 8
9bi)	
701)	mean = $\frac{0(2) + 1(7) + 2(6) + 3(8) + 4(4) + 5(2) + 6(1)}{2 + 7 + 6 + 8 + 4 + 2 + 1}$
0::::	2.5
9bii)	Median = 2.5
10a)	$\frac{1}{6}$
	l .
	$\pi r^2 h$
	616
10b)	Area of 2 sectors $=$ $\frac{616}{3}$
	Area of 2 sectors $=\frac{1}{3}$
	Area of 2 straight edges = $168 \text{ cm}^2$
	Area of curved edge = 88 cm ²
	Total Surface Area = $\frac{616}{3} + 168 + 88$
	1
	$=461\frac{1}{2}$
	3
11-1	12
11a)	y = 12
11b)	(x-4)(x+3)=0
	B(-3, 0)
	C(4, 0)
11c)	$x = \frac{1}{2}$
	2
1	

TKSS 2010 Sec 2 Mathematics Marking Scheme Paper 1 End of Year Examinations

Qns No.	Details Answers
12a)	E B
12b)	ε A B
13a)	$QR = \pm \sqrt{104^2 - 100^2}$ = 28.6 m (3 s.f.)
13b)	$\tan 25^{\circ} = \frac{PR}{100}$ $PR = 46.6308 \text{ m}$ $PQ = 46.6308 - 28.5657$ $= 18.1 \text{ m (3 s.f.)}$

	Class	Reg Number
Candidate Name		

#### TANJONG KATONG SECONDARY SCHOOL **End of Year Examination** Secondary Two



**MATHEMATICS** PAPER 2

0750 - 0905Thursday

7 October 2010

1hour 15 minutes

### READ THESE INSTRUCTIONS FIRST

Write your name, class and register number on all the work you hand in. Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions in this paper.

Write your answers on the writing papers provided.

If working is needed for any question it must be shown with the answer.

Omission of essential working will result in loss of marks.

Calculators should be used where appropriate.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.

For  $\pi$ , use either your calculator value or 3.142, unless the question requires the answer in terms of  $\pi$ .

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

The total of the marks for this paper is 50.

You are reminded of the need for clear presentation of your answers.

This question paper consists of 5 printed pages.

Turn over

Answer all the questions in this paper.

1 (a) (i) Factorise  $x^2 - 121$ . [1]

(ii) Simplify 
$$\frac{x^2 - 121}{44 - 4x}$$
. [2]

- **(b)** It is given that  $s = \frac{v^2 u^2}{2a}$ .
  - (i) Find the values of u when s = 9, v = -5 and a = -1. [2]
  - (ii) Express v in terms of u, a and s. [2]
- A swimwear company is interested to conduct an experiment on 2 brands of swimwear, namely **Speedo** and **Finis**. For each of the swimwear, the time to complete 50 metres is recorded.
  - (a) When the swimmer wears **Speedo** swimwear, he can swim 50 metres in x minutes. Write down an expression, in terms of x, for the distance covered by the swimer in one minute.
  - (b) When the swimmer wears **Finis** swimwear, he took 2 minutes more to swim 50 metres than when he was in **Speedo** swimwear. Write down an expression in terms of x, for the distance he can cover in one minute when he was wearing **Finis** swimwear.
  - (c) If the difference in distance covered by Speedo swimwear and Finis swimwear in one minute is 1.25 metres, write down an equation to represent this information and show that it reduces to  $x^2 + 2x 80 = 0$ .
  - (d) Solve the equation  $x^2 + 2x 80 = 0$ . [3]
  - (e) Find the time taken to swim 90 metres in **Speedo** swimwear. [1]

This is the score of thirty students in a Mathematics class test. The total score for the test is 100 marks.

48	47	47	53 55	54 49	49 60	55 47	100 53	59 51	61 51	63 62	58 42	51 50	45 36	52 66
51	50	58	22	49	ου	4/	33	31	31	02				

(a) Construct a stem-and -leaf diagram from the information given.

[2]

(b) Calculate the mean, median and mode score.

[3]

(c) Which of the above indicator you will not use as a gauge of the class peformance? Explain your answer.

[2]

(a) Given that  $\varepsilon = \{x : 3 \le x \le 20, x \in Z\}$ ,  $A = \{x : x \text{ is odd}\}$  and  $B = \{x : x \text{ is prime}\}$ . 4

[2]

(i) List the elements in A and B.

[2]

(ii) Given that  $C = \{ x: x \in A \text{ and } x \in B \}$  and  $D = \{ x: x \in A \text{ or } x \in B \}$ ,

(a) find n(C),


(b) describe in words the set D.

[1]

(iii) Explain why  $B \subset A$ ?


[5]

(b) Let x and y be the dimensions of the rectangle whose perimeter is 36m and which is such that the square of the length of the diagonal is 170m. Form two equations and use them to find the value of x and y.



y

- [ The curved area of a cone =  $\pi rl$  ] 5
  - [ The volume of a cone =  $\frac{1}{3}$  × base area × height ]
  - [ The curved surface of a sphere =  $4\pi r^2$  ]
  - [ Round off all you answers in this question correct to 3 significance figures.]




The diagram above shows a pencil. It is made up of a hemisphere, a cylinder and a cone. The cylinder has radius of 0.4 cm and length of 16 cm. The cone has base radius 0.4cm and height 2cm. (Take  $\pi = 3.142$ )

- (a) Calculate (i) the slant height of the cone,
  - (ii) the total surface area of the pencil.

[2]

[3]

[2]



(b) If the 6 such pencils are to be packed into a rectanglular box as shown above, show that the volume of the box is 70.656 cm³.

### Answer the whole of this question on a sheet of graph paper.

A cake company make \$y\$ of profit when it makes x number of cakes, where y is given by the formula  $y = \frac{1}{10}(3x - 20)(100 - x)$ , for  $0 \le x \le 80$ .

Number of cakes (x)	0	10	20	30	40	50	60	70	80	
Profit (\$y)	-200	90	320	490	600	650	640	570	k	

(a) Find the value of k. [1]
(b) Using a scale of 2 cm to represent 10 cakes, draw a horizontal axis for 0 ≤ x ≤ 80. Using a scale of 2 cm to represent \$100, draw a vertical axis for -200 ≤ y ≤ 700. On your axes, draw the graph of y = 1/10 (3x - 20)(100 - x).
(c) Use your graph to find

(i) the profit when 25 cakes are sold.
(ii) the maximum number of cakes to sell in order to gain maximum profit.
(j) Explain the significance of your answer for y when x = 5.
(e) (i) On the same axes, draw the line y = 9x.

[1]

[2]

End of Paper

(ii) Hence find the two values of x when the profit is \$9 per cake.

Numeric Answer

1ai) 
$$(x-11)(x+11)$$

ii) 
$$\frac{x+11}{-4}$$

bi) 
$$u = \pm \sqrt{43}$$

ii) 
$$v = \pm \sqrt{2as + u^2}$$

2a) 
$$\frac{50}{x}$$
 metres

2a) 
$$\frac{50}{x}$$
 metres b)  $\frac{50}{x+2}$  metres d)  $x = 8$  or  $-10$  (rej) e) 14.4 mins

d) 
$$x = 8$$
 or  $-10$  (rej)

3a) Stem	Leaves	-
3		6
4 5		2 5 7 7 7 8 9 9 0 0 1 1 1 1 2 3 3 4 5 5 8 8 9.
6		0 1 2 3 6
7		
8		
9		0
10	•	U

Median =51.5

Mode = 51

c) I will not use the mean because there is an extreme data/outlier.

4ai) 
$$A={3,5,7,11,13,15,17,19}$$
  $B={3,5,7,11,13,17,19}$ 

- ii) a) n(C)=7
- b) D consists of elements from A or B.
- iii) All elements in B are also in A and n(B) < n(A).

4b) 
$$x = 7$$
,  $y = 11$ 

6a) 
$$k = 440$$
 ci)  $y = $410$  (accept 400- 420) cii) maxi cakes = 53 (accept 51- 55)

d) y is negative means that the company is making a loss.

eii) 
$$x = 10$$
 or  $x = 66.5$  (accept 65-68)